## **African Journal of Ecology**

## **AUTHOR INDEX**

## Volume 30

ALERS, M. P. T., BLOM, A., KIYENGO, S., MASUNDA, T. & BARNES, R. F. W. Preliminary assessment of the status of the forest elephant in Zaire.  BANDA, H. M. see MUNTHALL, S. M.	279
BANDA, H. M. see MUNTHALL S. M.	
BARNES, K. L. see BARNES, R. F. W. BARNES, R. F. W. see ALERS, M. P. T. BARNES, R. F. W. & BARNES, K. L. Estimating decay rates of elephant dung piles in forest BLOM, A. see ALERS, M. P. T. BOROWIEC, L. see Nummelin, M. BRAID, S. see OBOT, E. A. BRETT, R. A. see MIHOK, S.	316
CHIKONO, C. & CHOINSKI, J. S. Thermotolerance characteristics of seeds from geographically isolated populations of the African tree Combretum apiculatum Sonder	65
DEAN, W. R. J. & YEATON, R. I. The importance of harvester ant Mesor capensis nest-mounds as	
germination sites in the southern Karoo, South Africa	335
to East African rangelands .  DIN, N. A. Breeding of the black-headed village weaver ( <i>Ploceus cucullatus</i> ) and the chestnut-and-	127
black weaver ( <i>P. nigerrimus</i> ) in Ile-Ife, Nigeria  DIN, N. A. Hatching synchronization and polymorphism in the eggs of <i>Ploceus cucullatus</i> and	49
P. nigerrimus with data on nest parasitism.  DIN, N. A. Pattern of nest destruction in the two village weavers (Ploceus cucullatus and P. nigerrimus)	252
at Ife, Nigeria	261
P. nigerrimus).  DOUTHWAITE, R. J. Effects of DDT treatments applied for tsetse fly control on white-browed	42
sparrow-weaver ( <i>Plocepasser mahali</i> ) populations in NW Zimbabwe  Duckworth, J. W. Sighting frequencies of nocturnal mammals in an Ethiopian Rift Valley National	233
Park	90
DUDLEY, J. P., MENSAH-NTIAMOAH, A. Y. & KPELLE, D. G. Forest elephants in a rainforest fragment: preliminary findings from a wildlife conservation project in southern Ghana	116
EGUNJOBI, J. K. see Ola-Adams, B. A.	
GILIOMEE, J. H. see Wright, M. G. Gombe, S. G. see Otiang'a-Owiti, G. E. Gottelli, D. see Sillero-Zubriri, C.	
HARPER, D. M. see HENDERSON, I. G. HAYASHI, I. A preliminary report of an experiment on vegetation recovery of drought deciduous woodland in Kuiti, Kenya  HENDERSON, I. G. & HARPER, D. M. Bird distribution and habitat structure on Lake Naivasha,	1
Kenya	223
JONYO, J. F. see Mihok, S.	
KABURIA, H. F. A. see MIHOK, S. KANG'ETHE, E. K. see MIHOK, S.	
KINYAMARIO, J. I. & MACHARIA, J. N. M. Aboveground standing crop, protein content and dry matter digestibility of a tropical grassland range in the Nairobi National Park, Kenya	33

ZWAYGARTH, E. see MIHOK, S.

KIYENGO, S. see ALERS, M. P. T.  KNIGHT, M. H., VAN JAARSVELD, A. S. & MILLS, M. G. L. Allo-suckling in spotted hyaenas (Crocuta crocuta): an example of behavioural flexibility in carnivores  KOK, O. B. see VRAHIMIS, S.  KPELLE, D. G. see DUDLEY, J. P.	245
LOGGERS, C. O. Population characteristics of dorcas gazelles in Morocco	301
MACHARIA, J. N. M. see KINYAMARIO, J. I.  MCKNIGHT, B. L. Birth of an African elephant in Tsavo East National Park, Kenya.  MAIWA, P. A. O. see MIHOK, S.  MASUNDA, T. see ALERS, M. P. T.  MENSAH-NTIAMOAH, A. Y. see DUDLEY, J. P.  MIHOK, S., MUNYOKI, E., BRETT, R. A., JONYO, J. F., RÖTTCHER, D., MAJIWA, P. A. O., KANG'ETHE, E. K., KABURIA, H. F. A. & ZWAYGARTH, E. Trypanosomiasis and the conservation of black	87
rhinoceros ( <i>Diceros bicornis</i> ) at the Ngulia Rhino Sanctuary, Tsavo West National Park, Kenya Mills, M. G. L. see Knight, M. H.  MUNTHALI, S. M. & BANDA, H. M. Distribution and abundance of the common ungulates of Nyika National Park, Malawi  MUNYOKI, E. see MIHOK, S.	103 203
Nummelin, M. & Borowiec, L. Cassidinae beetles of the Kibale Forest, western Uganda; comparison between virgin and managed forests.  Nummelin, M. Invertebrate herbivory in the forest floor vegetation of virgin and managed forest sites	10
in the Kibale Forest, western Uganda  Obot, E. A., Chinda, A. & Braid, S. Vegetation recovery and herbaceous production in a freshwater wetland 19 years after a major oil spill	213
ODUOR-OKELO, D. see OTIANG'A-OWITI, G. E.  OLA-ADAMS, B. A. & EGUNJOBI, J. K. Effects of spacing on litterfall and nutrient contents in stands of Tectona grandis Linn.f. and Terminalia superba Engl. & Diels.  OTIANG'A-OWITI, G. E., ODUOR-OKELO, D. & GOMBE, S. G. Foetal membranes and placenta of the springhare (Pedetes capensis larvalis Hollister)	18
PRINS, H. H. T. & VAN DER JEUGD, H. P. Growth rates of shrubs on different soils in Tanzania  PRINZIVALLI, R. A. Investigating the use of infrared detectors to count elephants in a forest environment.	309
REID, R. S. see WYANT, J. G. ROBERTSON, H. G. see WILLIS, C. K. RÖTTCHER, D. see MIHOK, S. RUGGERIO, R. G. Seasonal forage utilization by elephants in central Africa	137
SHACKLETON, C. M. Area and species selection by wild ungulates in coastal sour grasslands of Mkambati Game Reserve, Transkei, southern Africa  SILLERO-ZUBIRI, C. & GOTTELLI, D. Population ecology of spotted hyaena in an equitorial mountain	189
forest . SKINNER, J. D. see WILLIS, C. K. STAFFORD, K. J. & STAFFORD, Y. M. The kidney of the Kafue lechwe	292 349
VAN JAARSVELD, A. S. see KNIGHT, M. H. VAN DER JEUGD, H. P. see PRINS, H. H. T. VRAHIMIS, S. & KOK, O. B. Body orientation of black wildebeest in a semi-arid environment	169
WILLIAMSON, D. T. Condition, growth and reproduction in male red lechwe (Kobus leche leche Gray 1850)	269
WILLIS, C. K., SKINNER, J. D. & ROBERTSON, H. G. Abundance of ants and termites in the False Karoo and their importance in the diet of the aardvark Orycteropus afer  WOODALL, P. F. An estimation of a rapid method for estimating digestibility	322 181
WRIGHT, M. G. & GILIOMEE, J. H. Insect herbivory and putative defence mechanisms of <i>Protea magnifica</i> and <i>P. laurifolia</i> (Proteaceae)	157
YEATON, R. I. see DEAN, W. R. J.	

